cen

Application No. Applicant(s) 10/820.471 ROBINSON, JOHN Notice of Allowability Examiner Art Unit Hoi C. Lau 2612 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. A This communication is responsive to amendment filed on January 31, 2007. 2. The allowed claim(s) is/are 12,14 and 15. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) \square All b) ☐ Some* c) ☐ None 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: _____. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) I including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date 20070606. 3. Information Disclosure Statements (PTO/SB/08). 7. X Examiner's Amendment/Comment Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. Examiner's Statement of Reasons for Allowance of Biological Material 9. Other ___

Application/Control Number: 10/820,471

Art Unit: 2612

DETAILED ACTION

Page 2

1. Claims 12,14 and 15 are allowed.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Felix Fischer on June 6, 2007.

The application has been amended as follows:

a) As to claim 14, insert status identifier – (original) --.

Allowable Subject Matter

3. The following is an examiner's statement of reasons for allowance:

With regards to independent **claim 15**, the prior art does not specifically disclose or suggest a emergency response data coordination and communication system comprises an automated weather station having means for wind speed and direction sensing connected to the computer terminal, and a transmitter for transmitting wind speed and direction, a GIS application server including means for adjusting plume geometry dependent on the wind speed and direction.

With regards to dependent claims 12 and 14, they are allowable based on the dependency of claim 15.

Application/Control Number: 10/820,471

Art Unit: 2612

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 3

Conclusion

- 4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
 - a. Quick (U.S. 2001/0056435) "Data access system and method"
- b. Orr et al. (U.S. 5,815,417) "Method for acquiring and presenting data relevant to an emergency incident"
 - c. Alexander et al. (U.S. 6,574,561) "Emergency management system"
- d. Jones (U.S. 2002/0069312) "System and method for the storage, management and sharing of spatial –temporal based information"
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoi C. Lau whose telephone number is (571)272-8547. The examiner can normally be reached on M- F 8:30am 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey Hofsass can be reached on (571)272-2981. The fax phone number for the organization where this application or proceeding is assigned is (571)273-8300.

Art Unit: 2612

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hoi C Lau Art Unit 2612

JEFFERY HOFSASS SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600

JEFFERY HOFSASS SUPERMISORY PATENT EXAMINER TECHNOLOGY CENTER 2800